

Agitus Li


PT.7120

Date Prepared: August 2023

Prepared By: AB



Email: sales@mwe-na.com
www.mwe-na.com



Agitus Li
PT.7121

Date Prepared: August 2023






Prepared By: AB

MWE
Stainless Steel Manufacturer
NORTH AMERICA

Email: sales@mwe-na.com
www.mwe-na.com

Technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.



Glass thickness: 8 - 12mm / [5/16"] - [1/2"]
Max. door leaf weight= 165lbs/pair
Max. door leaf width= 1000mm [39 3/8"]

Recommendation:

From a door leaf height of 2600mm [102 3/8"], please use 3 door hinges.
Installation of the additional door hinge in the upper third of the door.


Agitus Li
PT.7122

Date Prepared: August 2023

Prepared By: AB

MWE
Stainless Steel Manufacturer
NORTH AMERICA

Email: sales@mwe-na.com
www.mwe-na.com



Glass thickness: 8 - 12mm / [5/16"] - [1/2"]
Max. door leaf weight= 165lbs/pair
Max. door leaf width= 1000mm [39 3/8"]

Recommendation:
From a door leaf height of 2600mm [102 3/8"], please use 3 door hinges.
Installation of the additional door hinge in the upper third of the door.






Agitus Li
PT.7124

Date Prepared: August 2023

Prepared By: AB

MWE
Stainless Steel Manufacturer
NORTH AMERICA

Email: sales@mwe-na.com
www.mwe-na.com



Glass thickness: 8 - 12mm / [5/16"] - [1/2"]
Max. door leaf weight= 165lbs/pair
Max. door leaf width= 1000mm [39 3/8"]

Recommendation:

From a door leaf height of 2600mm [102 3/8"], please use 3 door hinges.
Installation of the additional door hinge in the upper third of the door.

Agitus Li
PT.7125

Date Prepared: August 2023

Prepared By: AB

MWE[®]
Stainless Steel Manufacturer
NORTH AMERICA

Email: sales@mwe-na.com
www.mwe-na.com