


Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.

Email: [sales@mwe-na.com](mailto:sales@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)

## Prepared By: AB


Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.AK

AFF = Above Finished Floor





40mm [1 9/16"]  
Rosette  
(Standard Size)  
51mm [2"]

Specify center line rail height AFF on purchase order



ST.2100.MM  
Specify rosette diameter on purchase order  
available at  
Ø20mm [13/16"]  
Ø40mm [1 9/16"]  
Ø50mm [1 15/16"]  
Ø60mm [2 3/8"]



SL.6070

# Hook Ladder

## SL.6001.AK.E

Date Prepared: December 2022


Prepared By: AB

**MWE**  
Stainless Steel Manufacturer  
NORTH AMERICA


Email: [sales@mwe-na.com](mailto:sales@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)

Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.AK



AFF = Above Finished Floor



40mm [1 9/16"]  
Rosette  
(Standard Size)



ST.2100.MM  
Specify rosette diameter on purchase order available at  
Ø20mm [13/16"]  
Ø40mm [1 9/16"]  
Ø50mm [1 15/16"]  
Ø60mm [2 3/8"]



# Hook Ladder

## SL.6001.AK.H





Date Prepared: December 2022

Prepared By: AB

**MWE**  
Stainless Steel Manufacturer  
NORTH AMERICA

Email: [sales@mwe-na.com](mailto:sales@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)

Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.KL



## Hook Ladder

### SL.6001.KL

Date Prepared: July 2022



Prepared By: AB

**MWE**<sup>®</sup>  
Stainless Steel Manufacturer  
NORTH AMERICA

Email: [sales@mwe-na.com](mailto:sales@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)



Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.KL

AFF = Above Finished Floor



ST.2100.MM

Specify rosette diameter on purchase order available at  
Ø20mm [13/16"]  
Ø40mm [1 9/16"]  
Ø50mm [1 15/16"]  
Ø60mm [2 3/8"]



## Hook Ladder

### SL.6001.KL.E

Date Prepared: December 2022



Prepared By: AB

**MWE**<sup>®</sup>  
Stainless Steel Manufacturer  
NORTH AMERICA

Email: [sales@mwe-na.com](mailto:sales@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)

**Ladder height at or above 3000mm [118 1/8"]  
require safety side rails SL.6052.KL**

AFF = Above Finished Floor



## Hook Ladder

### SL.6001.KL.H

Date Prepared: January 2022

Prepared By: AB

**MWE**  
Stainless Steel Manufacturer  
NORTH AMERICA

Email: [sales@mwe-na.com](mailto:sales@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)