
Technical drawings are subject to change without notice. All millimeter dimensions are exact and supersede inch conversions. Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.



**Sliding Ladder** SL.6002.AK

Date Prepared: January 2023

Prepared By: AB

NORTH AMERICA Email: sales@mwe-na.com www.mwe-na.com


Technical drawings are subject to change without notice. All millimeter dimensions are exact and supersede inch conversions. Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited. Ladder height at or above 3000mm [118 1/8"] require safety side rails SL.6052.AK ST.2100.MM Specify rosette diameter on 31mm [1 1/4"] purchase order available at Ø20mm [13/16"] AFF = Above Finished Floor 40mm [1 9/16"] Ø40mm [1 9/16"] Ø50mm [1 15/16"] (Standard) 150mm [5 7/8"] 31mm [1 1/4"] Rosette \*max. 900mm [35 7/16"] (Standard)4 Ø60mm [2 3/8"] 62mm [2 7/16"] \*Mounting positions may be specified on ST.2000.20 purchase order. ST.3006.MM Solid wood backing required for full length of rail SL.6013 · 430mm [16 15/16"] 400mm [15 3/4"] 95mm [3 3/4"] 30mm [1 3/16"] SL.6061.K Ø45mm [1 3/4"] May be substituted with SL.6063.AK 400mm [15 3/4"] 420mm [16 9/16"] Stainless Steel Manufacturer NORTH AMERICA

## **Sliding Ladder** SL.6002.AK.E

Date Prepared: January 2023

Prepared By: AB

Email: sales@mwe-na.com www.mwe-na.com



**Sliding Ladder** 

SL.6002.AK.H

Date Prepared: January 2023

Prepared By: AB

Email: sales@mwe-na.com

www.mwe-na.com

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs Technical drawings are subject to change without notice. without written consent from MWE NA Inc. is prohibited. All millimeter dimensions are exact and supersede inch conversions. Ladder height at or above 3000mm [118 1/8"] require safety side rails SL.6052.KL AFF = Above Finished Floor Ø20mm [13/16"] 31mm [1 1/4"] (Standard) 150mm [5 7/8"] 40mm [1 9/16"], \*max. 900mm [35 7/16"] Rosette (Standard) 31mm [1 1/4"] ST.2100.MM \*Mounting positions Specify rosette diameter on may be specified on purchase order ST.2000.20 purchase order. available at ST.3006.MM Ø20mm [13/16"] Solid Wood backing Ø40mm [1 9/16"] 51mm [2"] required for full Ø50mm [1 15/16"] length of rail Ø60mm [2 3/8"] SL.6011.KL -95mm [3 3/4"] SL.6061.K /Ø45mm [1 3/4"] SL.6011.KL May be substituted with SL.6063.KL 400mm [15 3/4"] 430mm [16 15/16"]

## **Sliding Ladder**

SL.6002.KL


Date Prepared: January 2023

Prepared By: AB

Stainless Steel Manufacturer NORTH AMERICA

E m a i l : s a l e s @ m w e - n a . c o m www.mwe-na.com

Technical drawings are subject to change without notice. All millimeter dimensions are exact and supersede inch conversions. Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.



## **Sliding Ladder** SL.6002.KL.E

Date Prepared: January 2023

Prepared By: AB

Stainless Steel Manufacturer NORTH AMERICA

Email: sales@mwe-na.com

www.mwe-na.com

Technical drawings are subject to change without notice. Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited. All millimeter dimensions are exact and supersede inch conversions. Ladder height at or above 3000mm [118 1/8"] require safety side rails SL.6052.KL AFF = Above Finished Floor (Standard) 150mm [5 7/8"] 40mm [1 9/16"] Rosette \*max. 900mm [35 7/16"] 31mm [1 1/4"] (Standard) 31mm [1 1/4"] ST.2100.MM \*Mounting positions Specify rosette diameter on may be specified on purchase order ST.2000.20 purchase order. available at ST.3006.MM Ø20mm [13/16"] Solid Wood backing Ø40mm [1 9/16"] required for full Ø50mm [1 15/16"] length of rail [2"] Ø60mm [2 3/8"] 51mm [ Wood Step/Tread Specify wood type and finish on purchase order: Available finish: clear lacquered raw (unfinished) Oiled or waxed Available wood type: Maple [SL.6015.A] Beech [SL.6016.B] White Oak [SL.6016.E] Wenge [SL.6017.W] Chestnut [SL.6017.K] Zebrano [SL.6015.Z] Teak [SL.6017.T] Walnut [SL.6018.N] Cherry [SL.6016.K] 80mm [3 1/8"] 95mm [3 3/4"] SL.6061.K /Ø45mm [1 3/4"] May be substituted with SL.6063.KL 400mm [15 3/4"] 430mm [16 15/16"] NORTH AMERICA

## **Sliding Ladder**

SL.6002.KL.H

Date Prepared: January 2023

Prepared By: AB

Email: sales@mwe-na.com www.mwe-na.com